



AN ISO CERTIFIED COMPANY



SEMS SURGICAL INDUSTRIES

MANUFACTURERS & SUPPLIERS OF HOSPITAL FURNITURE, ICU, NICU, OT EQUIPMENTS, LABORATORY FURNITURE, GENERAL FURNITURE & ETC



SEMS S101: MOTORIZED REMOTE OPERATED ICU BED

- FOUR SECTIONS MS MATTRESS PLATFORM.
- MOTORIZED BACKREST, KNEE REST, TB/RTB & HEIGHT ADJUSTMENT
- ABS MOULDED SPLIT TYPE SAFETY SIDE RAILS (SWING TYPE)
- ABS MOULDED HEAD & FOOT PANELS, EASILY REMOVABLE WITHOUT USING ANY TOOLS.
- 125 MM DIAMETER SINGLE WHEEL HIGH GRADE SYNTHETIC BODY CASTORS WITH DIAGONAL LOCKING MECHANISM

OPTIONAL-

- SS HEAVY DUTY I.V. ROD (TWO HOOKS) FOUR SIDE FIXING FACILITY.

| | |
|-----------------------------|--|
| SIZE | 80" (L) X 36"(W) |
| HEIGHT RANGE | 20"-36" |
| FRAMEWORK MATERIAL & FINISH | MILD STEEL PRE-TREATED & EPOXY POWDER COATED |



SEMS S102: FIVE FUNCTION ICU BED

- FOUR SECTIONS MS MATTRESS PLATFORM.
- MANUAL KEY OPERATED BACKREST, KNEE REST, TB/RTB & HEIGHT ADJUSTMENTS.
- ABS MOULDED SPLIT TYPE SAFETY SIDE RAILS (SWING TYPE)
- ABS MOULDED HEAD & FOOT PANELS, EASILY REMOVABLE WITHOUT USING ANY TOOLS.
- 125 MM DIAMETER SINGLE WHEEL HIGH GRADE SYNTHETIC BODY CASTORS WITH DIAGONAL LOCKING MECHANISM

OPTIONAL :-

- S.S. HEAVY DUTY I.V. ROD (TWO HOOKS) FOUR SIDE FIXING FACILITY.



| | |
|-----------------------------|--|
| SIZE | 80" (L) X 36"(W) |
| HEIGHT RANGE | 20"- 36" |
| FRAMEWORK MATERIAL & FINISH | MILD STEEL PRE-TREATED & EPOXY POWDER COATED |

SEMS S103: FOUR FUNCTION ICU BED

- FOUR SECTIONS MS MATTRESS PLATFORM.
- MANUAL KEY OPERATED BACKREST, KNEE REST, TB/RTB & HEIGHT ADJUSTMENTS.
- ABS MOULDED SPLIT TYPE SAFETY SIDE RAILS (SWING TYPE)
- ABS MOULDED HEAD & FOOT PANELS, EASILY REMOVABLE WITHOUT USING ANY TOOLS.
- 125 MM DIAMETER SINGLE WHEEL HIGH GRADE SYNTHETIC BODY CASTORS WITH DIAGONAL LOCKING MECHANISM

OPTIONAL :-

- S.S. HEAVY DUTY IV ROD (TWO HOOKS) FOUR SIDE FIXING FACILITY.

| | |
|-----------------------------|--|
| SIZE | 80" (L) X 36" (W) X 24" (H) |
| FRAMEWORK MATERIAL & FINISH | MILD STEEL PRE-TREATED & EPOXY POWDER COATED |



SEMS S104: FOWLER BED (DELUXE)

- MANUAL KEY OPERATED BACKREST & KNEE REST ADJUSTMENT
- ABS MOULDED HEAD & FOOT PANELS, EASILY REMOVABLE WITHOUT USING ANY TOOLS
- 100 MM DIAMETER SINGLE WHEEL HIGH GRADE SYNTHETIC BODY CASTORS WITH DIAGONAL LOCKING MECHANISM.

OPTIONAL :-

- SS HEAVY DUTY IV ROD (TWO HOOKS) FOUR SIDE FIXING FACILITY.
- S.S DETACHABLE COLLAPSIBLE SIDE-RAILS.



| | |
|-----------------------------|--|
| Size | 80" (L) X 36" (W) X 24" (H) |
| Framework Material & finish | Mild Steel Pre-Treated & Epoxy Powder Coated |





SEMS S105: FOWLER BED

- MANUAL KEY OPERATED BACKREST & KNEE REST ADJUSTMENT
- S.S./M.S. HEAD & FOOT PANELS, EASILY REMOVABLE.

OPTIONAL :-

- SS HEAVY DUTY IV ROD (TWO HOOKS) FOUR SIDE FIXING FACILITY.
- S.S DETACHABLE COLLAPSIBLE SIDE-RAILS.



| | |
|-----------------------------|--|
| Size | 80" (L) X 36" (W) X 24" (H) |
| Framework Material & finish | Mild Steel Pre-Treated & Epoxy Powder Coated |



SEMS S106: SEMI FOWLER BED (DELUXE)

- MANUAL KEY OPERATED BACKREST ADJUSTMENT
- ABS MOULDED HEAD & FOOT PANELS, EASILY REMOVABLE WITHOUT USING ANY TOOLS
- 100 MM DIAMETER SINGLE WHEEL HIGH GRADE SYNTHETIC BODY CASTORS WITH DIAGONAL LOCKING MECHANISM.
- SINGLE SECTIONS MS MATTRESS PLATFORM.

OPTIONAL:

- S.S DETACHABLE COLLAPSIBLE SIDE-RAILS.
- SS HEAVY DUTY IV ROD (TWO HOOKS) FOUR SIDE FIXING FACILITY.


| | |
|-----------------------------|--|
| Size | 77" (L) x 36" (W) x 24" (H) |
| Framework Material & finish | Mild Steel Pre-Treated & Epoxy Powder Coated |

SEMS S107: SEMI FOWLER BED

- MANUAL KEY OPERATED BACKREST ADJUSTMENT
- S.S./M.S. HEAD & FOOT PANELS, EASILY REMOVABLE
- SINGLE SECTIONS MS MATTRESS PLATFORM.

OPTIONAL:

- S.S DETACHABLE COLLAPSIBLE SIDE-RAILS.
- S.S. HEAVY DUTY I.V. ROD (TWO HOOKS) FOUR SIDE FIXING FACILITY.



| | |
|-----------------------------|--|
| Size | 77" (L) x 36" (W) x 24" (H) |
| Framework Material & finish | Mild Steel Pre-Treated & Epoxy Powder Coated |



SEMS S108: PLAIN BED (PREMIUM)

- ABS MOULDED HEAD & FOOT PANELS, EASILY REMOVABLE WITHOUT USING ANY TOOLS
- URINE BAG HOLDER
- SINGLE SECTIONS MS MATTRESS PLATFORM.

OPTIONAL:

- S.S DETACHABLE COLLAPSIBLE SIDE-RAILS.
- S.S. HEAVY DUTY I.V. ROD (TWO HOOKS) FOUR SIDE FIXING FACILITY.

| | |
|-----------------------------|--|
| Size | 72" (L) x 36" (W) x 24" (H) |
| Framework Material & finish | Mild Steel Pre-Treated & Epoxy Powder Coated |



SEMS S109: PLAIN BED

- S.S./M.S. HEAD & FOOT PANELS, EASILY REMOVABLE.
- URINE BAG HOLDER
- SINGLE SECTIONS MS MATTRESS PLATFORM.

OPTIONAL:

- S.S DETACHABLE COLLAPSIBLE SIDE-RAILS.
- S.S. HEAVY DUTY I.V. ROD (TWO HOOKS) FOUR SIDE FIXING FACILITY.

| | |
|-----------------------------|--|
| Size | 72" (L) x 36" (W) x 24" (H) |
| Framework Material & finish | Mild Steel Pre-Treated & Epoxy Powder Coated |



SEMS S110: PEDIATRIC BED DELUX

- MANUAL KEY OPERATED BACKREST ADJUSTMENT
- S.S. TUBULAR, TELESCOPIC, COLLAPSIBLE SIDE RAILS
- S.S./ M.S. HEAD & FOOT PANELS
- URINE BAG HOLDER

OPTIONAL :-

- S.S. HEAVY DUTY IV ROD (TWO HOOKS) FOUR SIDE FIXING FACILITY.

| | |
|-----------------------------|--|
| Size | 60" (L) x 30" (W) x 24" (H) |
| Framework Material & finish | Mild Steel Pre-Treated & Epoxy Powder Coated |

SEMS S111: PEDIATRIC BED

- CRCA SHEET TOP WITH PROPER SUPPORT.
- HEAD AND LEG BOWS OF EQUAL HEIGHT WITH TWO VERTICAL AND ONE HORIZONTAL SUPPORT.
- LEG FITTED RUBBER SHOES.
- TWO SIDE FULL LENGTH DETACHABLE RAILS..

| | |
|-----------------------------|--|
| Size | 60" (L) x 30" (W) x 24" (H) |
| Framework Material & finish | Mild Steel Pre-Treated & Epoxy Powder Coated |



SEMS S112: RECLINING CHAIR CUM ATTENDENT BED

- CRCA TOP WITH TUBULAR FRAMEWORK.
- FIXED UPHOLSTERED TOP.

| | |
|-----------------------------|--|
| Size | 30" - 72" (L) x 24" (W) x 18" (H) |
| Framework Material & finish | Mild Steel Pre-Treated & Epoxy Powder Coated |



SEMS S113: ATTENDANT BED

- S.S./M.S. HEAD & FOOT PANELS.
- SINGLE SECTIONS MS MATTRESS PLATFORM.



| | |
|-----------------------------|--|
| SIZE | 72" (L) X 24" (W) X 18" (H) |
| FRAMEWORK MATERIAL & FINISH | MILD STEEL PRE-TREATED & EPOXY POWDER COATED |



SEMS S114: LABOUR BED

- EASILY REMOVABLE ABS MOULDED HEAD AND FOOT PANELS.
 - MINIMUM HEIGHT OF 530MM FOR THE CONVENIENCE OF PATIENTS TO GET IN AND OUT OF THE BED.
 - 125MM DIA. CENTRAL LOCKING CASTERS FOR BETTER STABILITY.
 - REMOVABLE MIDDLE AND LEG MATTRESS PLATFORM SECTION GIVES CLEAR ACCESS TO BED FROM TOP AND BOTTOM FOR EFFECTIVE CLEANING.
 - ANGULAR AND HEIGHT ADJUSTABLE.
 - HEIGHT ADJUSTABLE LITHOTOMY CRUTCHES.
- OPTIONAL :-**
- S.S. HEAVY DUTY IV ROD.
 - ABS SIDE RAILING.

SEMS S115: LABOUR TABLE

- S.S./M.S. RECTANGULAR TUBE TOP FRAME.
- S.S./M.S. BOTTOM FRAME.
- BACKREST ON RATCHET MECHANISM.
- TRENDELENBURG/REVERSE TRENDELENBURG ON SCREW MECHANISM.
- MIDDLE SECTION HAVING "U" NOTCH, WITH BOWL.
- SLIDING FOOT END.
- 35MM THICK MATTRESS.

OPTIONAL :-

- STEP STOOL (CODE: 603).
- LITHOTOMY CRUTCHES
- S.S./M.S. RAILING ON BOTH SIDES.





HOSPITAL COUCH

SEMS S201: EXAMINATION COUCH

- CRCA FRAME WITH CABINETS.
- FIXED UPHOLSTERED TOP IN TWO SECTIONS.
- HEADREST ADJUSTABLE ON GAS SPRING.
- THREE CABINETS AND THREE DRAWERS.
- INBUILT SLIDING STEP STOOL
- B.P. APPARATUS TRAY.



| | |
|-----------------------------|--|
| SIZE | 72" (L) X 20" (W) X 32" (H) |
| FRAMEWORK MATERIAL & FINISH | MILD STEEL PRE-TREATED & EPOXY POWDER COATED |

SEMS S202: EXAMINATION TABLE



- CRCA TUBULAR FRAMEWORK.
- ONE DRAWER AND ONE CABINET.

| | |
|-----------------------------|--|
| SIZE | 72" (L) X 20" (W) X 30" (H) |
| FRAMEWORK MATERIAL & FINISH | MILD STEEL PRE-TREATED & EPOXY POWDER COATED |



SEMS S203:
Obstetrics-Gynaec table



SEMS S204:
Examination couch "U" cut



SEMS S205:
Examination table

HOSPITAL STRETCHER

SEMS S301: EMERGENCY & RECOVERY TROLLEY



- TWO SECTION TOP WITH REMOVABLE X-RAY PERMEABLE STRETCHER
- HEIGHT ADJUSTMENT BY SMOOTH CRANK MECHANISM
- RAISED BACKREST ON RATCHET
- HIGH GRADE SYNTHETIC BODY CASTORS WHEELS (125 MM) TWO WITH BRAKES & TWO WITHOUT BRAKES
- PUSH-PULL HANDLE & SAFETY BELTS
- PRETREATED AND EPOXY POWDER COATED
- SWING AWAY TYPE SIDE RAILS
- SUPPLIED IN SEMI KNOCK DOWN CONDITION

OPTIONAL:-
STAINLESS STEEL IV POLE ALONG WITH PROVISION AT 4 POSITIONS



SEMS SURGICAL INDUSTRIES

HOSPITAL STRETCHER



SEMS S302
FOLDING STRETCHER



SEMS S303
STRETCHER ON TROLLEY



SEMS S304
STRETCHER ON TROLLEY
(BACKREST ADJUSTABLE)

TROLLEYS



SEMS S401
ECG TROLLEY



SEMS S402
INSTRUMENT TROLLEY



SEMS S403
Defibrillator TROLLEY



SEMS S404
MEDICINE CRASH CART
CUM DRUG TROLLEY



SEMS S405
MEDICINE CRASH CART



SEMS S406
MONITOR TROLLEY



SEMS S407
DRESSING TROLLEY



SEMS S408
MAYO TROLLEY



SEMS S409
C-CURVE TROLLEY





SEMS SURGICAL INDUSTRIES

TROLLEYS'



SEMS S410
SOLID LENIN TROLLEY



SEMS S411
LENIN TROLLEY



SEMS S412
DRUM TROLLEY



SEMS S413
CYLINDER TROLLEY

BED-SIDE LOCKERS



SEMS S501
NORMAL LOCKER



SEMS S502
3-TOP LOCKER



SEMS S503
DELUX LOCKER (S.S. TOP)



SEMS S504
DELUX LOCKER (ABS TOP)



SEMS S505
PREMIUM LOCKER



SEMS S601
REVOLVING STOOL



SEMS S602
ATTENDANT STOOL



SINGLE STEP



DOUBLE STEP

SEMS S603 FOOT STEP

STOOLS

OVER BED TABLES



SEMS S701
OVER BED TABLE
(FIXED TOP)



SEMS S702
OVER BED TABLE
(ADJUSTABLE TOP)



SEMS SURGICAL INDUSTRIES

OTHER EQUIPMENTS



SEMS S801
BED SIDE SCREEN



SEMS S802
BOWL STAND



SEMS S803
KICK BUCKET



SEMS S804
BABY CRADLE



SEMS S805
SCRUBBER



SEMS S806
WHEEL CHAIR



SEMS S807
ALMIRAH



SEMS S808
STAFF LOCKER



SEMS S809
SALINE STAND

SEMS S810
BOOK SHELF



SEMS S811
LOBBY BENCH



OT-101
C-ARM COMPATIBLE OT TABLE



Trendelenburg



Leg Up



Left tilt



Back up



Elevator up



Reverse
Trendelenburg



Leg Down



Right tilt



Back down



Elevator Down



OT-102
HYDRAULIC OT TABLE

OT-103

DOUBLE DOME CEILING LED LIGHT 4 + 4



| | |
|------------------------|----------------------------------|
| Intensity | 1,20,000+1,20,000 Lux |
| Spot Diameter | 100 - 150 mm |
| Depth Illumination | 10 - 15 cm |
| Colour Temp. | 4300 - 5200 K |
| Colour Rendering Index | 95 Ra |
| Focusing | Adjustable |
| LED Average Life | >50000 Hrs. |
| Number of LED | 76+76 |
| Diameter of Light | 650 mm |
| Intensity Control | 10-99 Digital Touch |
| Power Supply | 220V/50Hz AC drive by DC 24 volt |
| Power Consumption | 80+80 Watts |
| Special Function | remote operated |

| | |
|------------------------|----------------------------------|
| Intensity | 1,50,000+1,50,000 Lux |
| Spot Diameter | 100 - 150 mm |
| Depth Illumination | 10 - 15 cm |
| Colour Temp. | 4300 - 5200 K |
| Colour Rendering Index | 95 Ra |
| Focusing | Fix |
| LED Average Life | >50000 Hrs. |
| Number of LED | 54+54 |
| Diameter of Light | 550 mm |
| Intensity Control | 10-99 Digital Touch |
| Power Supply | 220V/50Hz AC drive by DC 24 volt |
| Power Consumption | 60 Watts |
| Special Function | remote operated |

OT-104

DOUBLE DOME CEILING LED LIGHT



| | |
|------------------------|----------------------------------|
| Intensity | 1,50,000 Lux |
| Spot Diameter | 100 - 150 mm |
| Depth Illumination | 10 - 15 cm |
| Colour Temp. | 4300 - 5200 K |
| Colour Rendering Index | 95 Ra |
| Focusing | Adjustable |
| LED Average Life | >50000 Hrs. |
| Number of LED | 95 |
| Diameter of Light | 650 mm |
| Intensity Control | 10-99 Digital Touch |
| Power Supply | 220V/50Hz AC drive by DC 24 volt |
| Power Consumption | 100 Watts |
| Special Function | remote operated |

OT-105

SINGLE DOME CEILING LED LIGHT



| | | |
|------------------------|----------------------------------|----------------------------------|
| Intensity | 60,000 | 60,000 |
| Spot Diameter | 100-120mm | 100-120mm |
| Depth Illumination | 10 - 12 mm | 10 - 12 mm |
| Colour Temp. | 3800 - 4500 K | 3800 - 4500 K |
| Colour Rendering Index | 91 Ra | 91 Ra |
| Focusing | FIX | FIX |
| LED Average Life | >50000 Hrs. | >50000 Hrs. |
| Number of LED | 19 | 21 |
| Diameter of Light | 160 mm | 160 mm |
| Intensity Control | 1-9 Digital Touch | 1-9 Digital Touch |
| Power Supply | 220V/50Hz AC drive by DC 24 volt | 220V/50Hz AC drive by DC 24 volt |
| Power Consumption | 20 Watts | 20 Watts |
| LED Colour | Yellow & White Combination | Yellow & White Combination |



OT-106

EXAMINATION LIGHT



CONTACT US:

(+91) 992-680-4526

(+91) 782-834-2091

harirajput0220@gmail.com

VISIT:

semssurgicalindustries.com

AUTHORIZED DISTRIBUTER:



ADDRESS:

GOVINDPURA INDUSTRIAL AREA, BHOPAL, MADHYA PRADESH, INDIA

120, SEMS SURGICAL INDUSTRIES, AKVN ACHARPURA INDUSTRIAL AREA, BHOPAL, MADHYA PRADESH, INDIA



THE SYMBOL OF QUALITY & RELIABILITY

- Sems Surgical Industries Is A Manufacturer & Supplier Of Hospital Furniture & Equipments.
- Sems Surgical Industries Is A Licensed User Of The Trademark "Sems" & The Logo.
- Sems Surgical Industries Owns The Image Files In This Catalogue, Which Are Protected By Copyright And Other Restrictions.
- This Leaflet May Only Be Used For Offering, Purchasing, And Selling Our Products. No Part May Be Copied Or Reproduced In Any Way. In The Case Of Misuse, We Retain The Right To Recall Our Catalogues And Price Lists And To Take Legal Action.

➤ Sems Surgical Industries All Rights Reserved.